





EXHAUSTO - Compact air handling units with heat recovery



Exchanger type	Size	Max. Capacity [m³/h]	Min. Capacity [m³/h]	Heating coil Accessories	Amp		kW		Weight [kg]	Dimensions [mm]			Connect. dim. [mm]	Control system	Version**	Temperature efficiency	QuickWeb number
					1 x 230V	3 x 400V	1 x 230V	3 x 400V		Height	Length	Depth					
 VEX100 RANGE CROSS FLOW HEAT EXCHANGER	VEX140	2200	400	Built-in post heating coil*	11.2		1.6		192	1050	1365	750	ø315	VEX100	H / V / C	up to 70 % (EN308)	3002607
	VEX150	3600	700		8.5	2.7	285	1200	1600	835	ø400	VEX100	H / V				
	VEX160	5000	1100		15.8	4.8	362	1400	1820	940	ø500	VEX100	H / V				
	VEX170-1	6900	1400		17.0	5.6	646	1800	2200	1240	500 x 600	VEX100	H				
	VEX170-2	8400	1800		18.5	8.6	662	1800	2200	1240	500 x 600	VEX100	H				
 VEX200 RANGE ROTARY HEAT EXCHANGER	VEX240	2350	400	External Post heating coil*	13.0		1.8		260	1050	1490	860	ø315	EXact	H	up to 80 % (EN308)	3002636
	VEX250	3700	700		10.5	2.9	273	1100	1600	945	ø400	EXact	H				
	VEX260	5600	1100		18.0	5.0	525	1570	1820	1265	400 x 800	EXact	H				
	VEX270-1	7600	1300		21.0	6.1	734	1800	2050	1525	500 x 1000	EXact	H				
	VEX270-2	9100	1800		21.3	9.3	750	1800	2050	1525	500 x 1000	EXact	H				
	VEX280-1	14700	2800		28.3	11.3	1070	2100	2160	1900	600 x 1400	EXact	H				
	VEX280-2	18300	4000		36.5	18.4	1102	2100	2160	1900	600 x 1400	EXact	H				
 VEX300 RANGE COUNTER FLOW HEAT EXCHANGER	VEX320C-1	750	150	built-in pre-heating and comfort heating	12.5		2.9		125	390	1385	900	ø250	EXpert	C	 up to 90 % (EN308)	3003131
	VEX320C-2	1100	150		9.8	3.7	125	390	1385	900	ø250	EXpert	C				
	VEX330C-1	900	150		12.5	2.9	165	390	1385	1410	ø250	EXpert	C				
	VEX330C-2	1350	150	9.8	3.7	165	390	1385	1410	ø250	EXpert	C					
	VEX330H-1	900	150	12.5	2.9	135	970	1200	735	ø315	EXpert	H	3003132				
	VEX330H-2	1500	150	9.8	3.7	135	970	1200	735	ø315	EXpert	H					
	VEX340	2250	400	External Post heating coil*	13.0		1.8		450	1803	1765	946	ø400	EXact	H		3003601
	VEX350	3800	700		10.5	2.9	639	1904	2632	945	500 x 800	EXact	H	3003836			
	VEX360	5400	1100		18.0	5.0	714	1904	2932	945	500 x 800	EXact	H				

* Water or electrical heating coil ** H = Horizontal, V = Vertical, C = Ceiling Incl. Pre-heating and comfort heating Are supplied as units that can be disassembled. The three modules can be moved through openings of 900 x 2000 mm



VEX140 Horizontal



VEX150 Vertical



VEX240 Horizontal




VEX260 (3 modules)



VEX320 Ceiling






















VEX340



VEX360 (3 modules)

EXHAUSTO - Compact air handling units with heat recovery



Exchanger type	MODEL VARIANTS AND CHOICE OF SPIGOT POSITIONING											
 <p>VEX100 RANGE CROSS FLOW HEAT EXCHANGER</p>	<p>VEX100 - Horizontal/Ceiling LEFT</p>  <p>VEX100 - Horizontal/Ceiling RIGHT</p> 		<p>VEX100 - Vertical LEFT</p> 		<p>VEX100 - Vertical RIGHT</p> 		<p>Guaranteed air quality VDI 6022 All units in the EXHAUSTO range, have been independently changed in accordance with the German standard VDI 6022.</p> <p>VDI 6022 is a rigorous standard that ensures products can be cleaned and maintained as effectively as possible. This ensures the quality of air passing through the unit is not compromised.</p> 					
 <p>VEX200 RANGE ROTARY HEAT EXCHANGER</p>	<p>VEX200 - Compact filter Fan position 1 - Direction L</p> 		<p>VEX200 - Bag filter Fan position 1 - Direction R</p> 		<p>VEX200 - Compact filter Fan position 2 - Direction L</p> 		<p>VEX200 - Bag filter Fan position 2 - Direction R</p> 		<p>Find more information about our products at www.exhausto-ventilation.com</p> 			
 <p>VEX300 RANGE COUNTER FLOW HEAT EXCHANGER</p>	<p>VEX320/330 Ceiling</p> 		<p>VEX330 Horizontal *</p> 		<p>VEX340 LEFT</p> 		<p>VEX340 RIGHT</p> 		<p>VEX350/360 LEFT</p> 		<p>VEX350/360 RIGHT</p> 	

* VEX330 horizontal can be serviced from the front or from the back - in this way the unit can be used as LEFT or RIGHT version!



Water heating coil



Electrical heating coil



Cooling coils uninsulated



Cooling coils insulated



CARBON filter

EXHAUSTO A/S

Odensevej 76

DK-5550 Langeskov

Tel. +45 65 66 12 34

Fax +45 65 66 11 10

exhausto@exhausto.dk

www.exhausto-ventilation.com